



NANOCLEAN TOP

Liquid detergent highly concentrated with potassium hydroxide, for the activation of organic glass surfaces and the removal of AR/HC, in ultrasonic processes.



OPHTHALMIC OPTICS RANGE

FUNCTION	APPLICATION/POLLUTION
Ultrasonic cleaning	Surface activation, removal of AR/HC

COMPATIBILITY

- Non-sensitive organic glass
- Mineral glass*

* Please contact NGL before implementing a process.

COMPONENTS

- Surfactants, potassium hydroxide
- Strong alkalis
- No CMR compounds, REACH compliant

PHYSICOCHEMICAL DATA

- pH concentrated: 14
- Density: 1.50
- Surface tension: 63.6 mN/m


INSTRUCTIONS FOR USE*

- Concentration: 10 to 25%
- Temperature: 55 to 70°C (131-158°F)
- Time: 5 to 10 minutes



* Dependent on the quality of water and the nature and quantity of contaminants.

PROCESS EXAMPLES

- Surface activation of organic glass



- Removal of AR/HC coatings



23/07/24

STORAGE CONDITIONS

- Keep the container hermetically sealed between 5°C and 40°C (41°F and 104°F) in a dry place.
- Always keep in packaging made from the same material as the original packaging (HDPE).



If you have any questions, please contact our Application Centre on: +41 22 365 46 66

