

COIN DIES & PRINTING PLATES



ECOLOGICAL CLEANING SOLUTIONS **•** SWISS QUALITY





CLEANING AND SURFACE PREPARATION

Expanding the lifetime of printing of tools in the coins and notes manufacturing industry: Die punches and printing plates.

SUBSTRATES MATERIALS:

- HSS Steel
- Cold work steel
- Copper

- Tin. TiCN. TiC:
- ALTIN; ALTISIN;
- AlCrN

COATINGS:

CrN





FERRODEC 56

Powdered product for the decoating of aluminium or titanium based layers on steel tools.

Benefits:

- Cost-effective
- Fast decoating
- Efficient decoating on Ti and Al based PVD/CVD coatings

EXCARBONITE 222

Powdered alkaline liquid product for the decoating of chromium or silicon based layers on steel tools.

Benefits:

- Very efficient on Cr and Si layers
- - DLC(Si) layers

TYPICAL DECOATING PROCESS FOR HSS TOOLS:



PRINTING PLATES: COATED COPPER

Used for the Intaglio printing, a critical step of notes manufacturing which makes the note much more difficult to counterfeit.

Engraved copper plates are coated to increase hardness of the surface and sustain the multiple tons pressure of the rolling press while printing up to 1 Million notes before being replaced.

For a perfect PVD coating preparation, our rinsing free and copper compatible detergents will guarantee a spot free result, while a mild acid finish will improve the adherence of your coatings.

DETERGENTS AND FINISHING SOLUTIONS

PRODUCT	рН	ТҮРЕ	FUNCTION	APPLICATION/CONTAMINATION
KORROSTOP 5000	13.7	Detergent Finishing detergent	Spray or ultrasonic process	Corrosion protection
VACUKLEEN SUPRA II	14		Ultrasonic cleaning	Universal cleaner, free rinsing
HELIT 2022	8.4			
RODASTEL 30	0.5			Deoxidation, neutralization and activation of surfaces

CLEANING OF TEMPERED STEEL PARTS:



DECOATING CENTRE IN BOCHOLT, GERMANY

Our decoating processes are suited for PVD, CVD and PACVD deposited lavers



NGL develops and provides decoating solutions and services for small to large pieces such as molds, parts sizes up to 1.5m in diameter and weighing up to 5t.

Our expertise extends to intricate and long parts, with blind holes and deep cavities.

Send us blanks for trials if you wish!



Suitable for all types of Steel Efficient decoating on DLC(Cr) or



UNICERAL 308


Acidic liquid product for the decoating of titanium, aluminium or zirconium PVD layers on carbide tools.

Benefits:

- Ready to use
- Optimized protection of carbide substrates
- Shiny effect after stripping process
- No damage to tools edges



Sandblasting: Damaged surface Dulled edges



Chemical decoating No damage to edges and surface

COIN DIES:

Carbon steel, HSS, guenched steel, to obtain maximum hardness for cold forming. Parts are often coated with a PVD layer to increase hardness and improve friction, thus extending the lifetime of the tool, up to 200 000 stamped coins.

Once the tool coating starts to wear, the PVD layer can be removed by our chemical process, which does not damage the engraving or edges of the die. Parts can then be cleaned and protected against corrosion until they get recoated.



HEADQUARTER AND OUR SUBSIDIARIES AROUND THE WORLD

NGL CLEANING TECHNOLOGY SA (Headquarter)

Chemin de la Vuarpillière 7 CH-1260 NYON contact@ngl-group.com

NGL FRANCE SAS

Parc Aktiland Bât B 1 rue de Lombardie FR-69800 SAINT-PRIEST france@ngl-group.com

NGL NORDIC A/S

Industriskellet 10 DK-2635 ISHØJ nordic@ngl-group.com

NGL AMERICA INC.


747 North Church Road, Suite G-9 ELMHURST, IL 60126, USA usa@ngl-group.com

NGL SHANGHAI

Room 407, Building 3, No.3199 Jinhai Road Fengxian District CN-201406 SHANGHAI shanghai@ngl-group.com

NGL ASIA PACIFIC PTE LTD

28 Kallang Place #05-09 Kallang Basin Industrial Estate SG-339158 SINGAPOUR asiapacific@ngl-group.com



NGL CLEANING GmbH - CHEMICAL & DECOATING TECHNOLOGY Schlavenhorst 15 - DE-46395 BOCHOLT - GERMANY +49 2871 27 411-40 - kontakt@ngl-group.com - www.ngl-group.com





